LI48320T035IB3098-TR

3.5 inch, 320×480, IPS screen with wide viewing angle, air bonding RTP

Disclaimer: The product design is subject to alternation and improvement without prior notice.

DWIN Technology 1 www.dwin-global.com




Table of Contents

1 General Feature	3
2 Mechanical Drawing	5
3 Input/Output Terminals	6
4 Electrical Characteristics	7
5 Timing Characteristics	8
6 Optical Characteristics	12
7 Environmental Reliability Test	15
8 Packing Capacity & Dimension	16
9 Appearance Inspection	
10 Precautions for Use of LCD Modules	20
11 Laminated Screen Introduction	21

1 General Feature

1.1 LCD Parameters

1.1 LOD T arai	Feature	Description	Unit
	Size	3.5	inch
	Resolution	320(H)*480(V)	pixels
Display Spec.	Pixel Configuration	RGB stripe	(6)
	Pixel Pitch	0.153(H)*0.153(V)	mm
	Viewing Direction	ALL	_
	Outside Dimension	54.5(W)*83.0(H)*2.1(D)	mm
	Active Area	48.96(W)*73.44(H)	mm
Mechanical Characteristics	Luminance	200	cd/m²
	LED Numbers	6 LEDS	-
	Pin Order	From left to right 40PIN_0.5mm	-
	Interface	RGB_24bit	-
Electrical	Color Depth	262K	colors
Characteristics	Driver Condition	2.8(Type)	V
	LCM Driver IC	ST7796-G4	-
Temperature	Operating Temp.	-20~70	$^{\circ}$
Range	Storage Temp.	-30~80	$^{\circ}$ C




1.2 Touch Parameters

Feature	Description
Туре	RTP (Resistive touch panel)
Structure	ITO Film+ ITO Glass+ FPC
Outline Size(mm)	53.5(L)*82(W)*1.6(T)
Active Area(mm)	49.06(L)*73.53(W)
Life	Dot >1,000,000; Stroke >100,000
Surface Hardness	3Н
Light Transmittance	78%±3%
Operating Temperature	-20~70℃
Storage Temperature	-30~80℃

Note: Requirements on Environmental Protection: RoHS
You can use dynamic screen saver wallpapers to avoid afterimages caused by fixed paper display for a long time.

DWIN Technology 4 www.dwin-global.com

2 Mechanical Drawing





3 Input/Output Terminals

3.1 LCD Input/Output Terminals

Pin NO.	Symbol	Function	Remark
1	LEDK	Back light cathode	
2	LEDA	Back light anode	
3	GND	Ground	
4	VCI	Power supply	
5-12	R0-R7	Data bus	
13-20	G0-G7	Data bus	
21-28	B0-B7	Data bus	
29	GND	Ground	
30	PCLK	Clock signal	
31	NC	Not connect	
32	HSYNC	Line synchronizing signal	
33	VSYNC	Frame synchronizing signal	
34	DE	Data ENABLE signal	
35	NC	Not connect	
36	GND	Ground	
37	SCL	Serial clock input for SPI interface	
38	SDA	Serial data input/output bidirectional pin for SPI interface	
39	CS	A Chip Select signal	
40	RESET	Reset Signal pin	

3.2 TP Input/Output Terminals

Pin NO.	Logic	Remark
1	YU	
2	XL	
3	YD	
4	XR	

DWIN Technology 6 www.dwin-global.com

4 Electrical Characteristics


4.1 Driving TFT LCD Panel

Item	Symbol	Min.	Тур.	Max.	Unit	Remark
Analog Voltage	VCC	2.6	2.8	3.3	V	
Input Logic High Voltage	VIH	0.7VCC	-	VCC	V	X
Input Logic Low Voltage	VIL	GND	-	0.3VCC	V	V6),
Output Logic High Voltage	VOH	0.8VCC	-	VCC	V	
Output Logic Low Voltage	VOL	GND	-	0.2VCC	V	

4.2 LED Backlight Specification

Item	Symbol	Min.	Тур.	Max.	Unit	Remark
Forward Voltage	V _F	8.4	9.3	10.2	V	
Forward Current	I _F	-	40	-	mA	
Luminance	Lv	-	200	-	cd/m ²	
Power Consumption	P_{LED}		372	-	mW	
Uniformity(with L/G)	Avg	75	80	-	%	
LED Life-Time	Hr	50,	30000	-	Hour	


Note: 6 LEDs (3 LEDs Serial, 2 ways Parallel)



DWIN Technology 7 www.dwin-global.com

5 Timing Characteristics


5.1 3-line serial Interface Characteristics



VDDI=1.65 to 3.3V, VDD=2.4 to 3.3V, AGND=DGND=0V, Ta=-30 to 70 ℃

Signal	Symbol	Parameter	Min	Max	Unit	Description
	T _{CSS}	Chip select setup time (write)	15		ns	
	T _{CSH} Chip select hold time (write)		15		ns	
CSX	T _{CSS}	Chip select setup time (read)			ns	
	T _{scc}	Chip select hold time (read)	65		ns	
	T _{CHW}	Chip select "H" pulse width	40		ns	
	T _{SCYCW}	Serial clock cycle (Write)	66		ns	
	T _{SHW}	SCL "H" pulse width (Write)	15		ns	
SCL	T _{SLW}	SCL "L" pulse width (Write)	15		ns	
SCL	T _{SCYCR}	Serial clock cycle (Read)	150		ns	
	T _{SHR}	SCL "H" pulse width (Read)	60		ns	
	T _{SLR}	SCL "L" pulse width (Read)	60		ns	
SDA	T _{SDS}	Data setup time	10		ns	
(DIN)	T _{SDH}	Data hold time	10		ns	
DOUT	T _{ACC}	Access time	10	50	ns	For maximum CL=30pF
DOUT	Тон	Output disable time	15	50	ns	For minimum CL=8pF

5.2 RGB Interface Characteristics




Signal	Symbol	Parameter	MIN	MAX	Unit
HSYNC,	Tsyncs	VSYNC, HSYNC Setup Time	15		ns
VSYNC	131103	vortio, no mo detap mile	2		110
ENABLE	T _{ENS}	Enable Setup Time	15	٠	ns
ENABLE	T _{ENH}	Enable Hold Time	15	٠	ns
	PWDH	DOTCLK High-level Pulse Width	30	•	ns
DOTCLK	PWDL	DOTCLK Low-level Pulse Width	30	•	ns
DOTCLK	Тсусь	DOTCLK Cycle Time	66	•	ns
	Trghr, Trghf	DOTCLK Rise/Fall time	٠	15	ns
DB	TPDS	PD Data Setup Time	15	٠	ns
	T _{PDH}	PD Data Hold Time	15	٠	ns

5.3 RGB Interface Definition


Parameter	Symbol	Min.	Тур.	Max.	Unit
Horizontal Sync. Width	hpw	40	50	250	Clock
Horizontal Sync. Back Porch	hbp	40	50	256	Clock
Horizontal Sync. Front Porch	hfp	10	38	-	Clock
Vertical Sync. Width	VS	2	4		Line
Vertical Sync. Back Porch	vbp	2	4	-	Line
Vertical Sync. Front Porch	vfp	2	8		Line

Vertical Sync.




5.4. Reset Timing

Related Pins	Symbol	Parameter	MIN	MAX	Unit
	TRW	Reset pulse duration	10	-	us
RESX	TRT Reset cancel	Danat annual	-	5	ms
			120	ms	



5.5 Power Sequence



DWIN Technology 11 www.dwin-global.com

6 Optical Characteristics


Item	Symbol	Condition	Min.	Тур.	Max.	Unit	Remark
	Тор		-	85	-		
Viousing Angle	Bottom	CR≧10	-	85	-	Dog	X
Viewing Angle	Left	CR = 10	-	85	-	Deg.	
	Right		-	85	-		
Contrast Ratio	CR	θ=0°	-	700	-		
Response Time	T _r +T _f	θ=0°	-	30	-	ms	
	Wx		-	0.309	>		
	Wy		-	0.332	<u>-</u>		
	Rx		\hat{\chi}	0.660	-		
Color Chromaticity	Ry		00)	0.325	-		
(CIE1931)	Gx	θ=0°	> -	0.277	-		
	Gy	63	-	0.568	-		
	Вх	50	-	0.145	-		
	Ву		-	0.072	-		
Transmittance	Trans	θ=0°	-	4.3	-	%	

Test conditions:


IF= 40 mA, and the ambient temperature is $25\,^{\circ}$ C.

Note 1: Definition of optical measurement system.

The optical characteristics should be measured in dark room. After 5 minutes operation, the optical properties are measured at the center point of LCD.



Note 2: Definition of viewing angle range and measurement system. The viewing angle is measured at the center point of the LCD by BM-7A.




Note 3: Definition of color temperature.

When the radiation of the light source is exactly the same in the visible region and the absolute blackbody, the temperature of the blackbody is called the color temperature of the light source. Color temperature is an index to measure the degree of light source color (cold color, warm color). Warm color < 3300K, intermediate color $3300 \sim 5000$ K, cold color > 5000K

DWIN Technology 13 www.dwin-global.com


Note 4: Definition of response time.

The response time is defined as the LCD optical switching time interval between "White" state and "Black" state. Time ON (TON) is the time between photo detector output intensity changed from 90% to 10%. And time off (TOFF) is the time between photo detector output intensity changed from 10% to 90%.



Note 5: Definition of color chromaticity (CIE1931). Color coordinates measured at center point of LCD.

Note 6: Definition of luminance. Measure the luminance of white state at center point.



7 Environmental Reliability Test

NO	Test Item	Condition	Remarks	
1	High Temperature Operation	Ta=+70℃,48hours	IEC60068-2-1:2007	
	Tilgit Telliperature Operation	la-+70 C,401louis	GB2423.2-2008	
2	Low Temperature Operation	Ta=-20℃,48hours	IEC60068-2-1:2007	
	Low Temperature Operation	1a20 C,48110urs	GB2423.1-2008	
3	Ligh Tomporature Storage	To-190°C 49hours	IEC60068-2-1:2007	
3	High Temperature Storage	Ta=+80℃,48hours	GB2423.2-2008	
4	Law Tamananativa Chanasa	T 20% 40h a.u.ra	IEC60068-2-1:2007	
4	Low Temperature Storage	Ta=-30℃,48hours	GB2423.1-2008	
5	Storage at High Temperature	T 140°C 000/ DLL many 40h avera	IEC60068-2-78 :2001	
5	and Humidity Ta=+40℃,90% RH max,48hours	GB/T2423.3-2006		
			Start with cold	
6	Thermal Shock (non-operation)		temperature,	
		harmal Chapk (non aparation)	-20℃ /30min +70℃/30min,	End with high
		Change time:5min,10cycles	temperature,	
		• 0	IEC60068-2-14:1984,	
			GB 2423.22-2002	

8 Packing Capacity & Dimension

Dimension				
Dimension(mm)	54.5(W)*83.0(H)*3.68(D)			
Net Weight	-			
Packing Capacity				
Size	LCD Size and Resolution	Layer	Quantity (Pcs)	
220mm(L)x160mm(W)x47mm(H)	3.5 inch 320*480	1	1	
600mm(L)x450mm(W)x300mm(H)	3.5 inch 320*480	2	240	

Packing instruction:

The LCD+TP is placed in the grid, covered with a PE static bag and compactly assembled, the upper and the lower layers of the grid are protected by buffer spaces.

The LCD covered with a PE static bag and compactly assembled





placed in the grid





The upper and the lower layers of the grid are protected by buffer spaces





Packed



9 Appearance Inspection

9.1 General rules for inspection

- 9.1.1 Anti-static wearables (anti-static wristbands, gloves) must be worn during the inspection.
- 9.1.2 Do not use bare hands to touch the position of the device, golden fingers, and the surface of the screen to prevent the sweat from human hands from causing oxidation and affecting the appearance.
- 9.1.3 It is forbidden to stack products out of specification and handle them with care to avoid damage to components.
- 9.1.4 The repaired products need to be inspected to prevent rosin and tin slag from exceeding the specifications.
- 9.1.5 When technical documents and process documents have specific requirements for products, the technical documents and process documents shall be the main requirements.

9.2 Inspection conditions

9.2.1 The conditions of display function check

Angle: ±5°;

Inspection method: visual inspection. The inspection object is 30-40cm away from the light source, and the eye is 30-40cm away from the inspection object;


Illumination: 300-500Lux; Inspection time: 5-10S.

9.2.2 Visual inspection conditions

Angle: ±45°;

Inspection method: visual inspection. The inspection object is 30-40cm away from the light source, and the eye is 30-40cm away from the inspection object;

Illumination: 800-1500Lux; Inspection time: 5-10S.



9.3 Inspection standard

Туре	Test Items	Judgement Standard	Defect Category
	Dead pixels	No dead pixels	
Display state	mura	From different angles, the brightness is required to be uniform. Under the 64-level grayscale or pure black interface, there should be no uneven display brightness within the viewing angle range of 45° through 6% ND FILTER. Y series (TV film) LCD screen does not have specific requirements, and the picture inspection does not affect the display as qualified. Black and white mottled	Slight defect
	Light leakage	Under the 64-level grayscale or pure black interface, there should be no obvious light leakage within the viewing angle range of 45° by visual inspection or through 6% ND FILTER. Y series (TV LCD screen) series can be without obvious visual defects.	Slight defect
	Linear foreign bodies	 1. W≤0.05, L≤2mm, negligible; 2. 0.05mm<w≤0.1mm, li="" l≤2mm,="" n≤3;<=""> 3. W>0.1mm, L>2mm, not allowed. </w≤0.1mm,>	Slight defect
	Bubble in OCA	1. D<0.20mm, negligible; 2. 0.20mm <d≤0.30mm, and,="" ds="" n≤4="">10mm; 3. 0.30mm<d≤0.35mm, and,="" ds="" n≤3="">10mm; 4. 0.35mm<d, (guarantee="" 0.2mm="" area:="" fault.="" outside="" td="" va)<="" within=""><td>Slight defect</td></d,></d≤0.35mm,></d≤0.30mm,>	Slight defect
Screen surface	Within the effective area	Spotted: 1. D≤0.2mm and it is not a piece, it is not counted; 2. 0.2mm <d≤0.5mm, 3.="" d="" n≤3;="">0.5mm, L>0.5mm, W>0.5mm are not allowed; (The spotted foreign objects shall not exceed the point-line gauge D=0.5, and the black dot coverage shall be checked, and the spotted foreign objects shall be judged within the range of D=0.5) Linear: 1. W≤0.05, L≤2mm, ignored; 2. 0.05<w≤0.1mm, 3.="" l≤2mm,="" n≤3;="" w="">0.1mm, L>2mm, not allowed.</w≤0.1mm,></d≤0.5mm,>	Slight defect
	Outside the effective area Foreign objects Scratches Air bubbles	Foreign objects are not checked, and bubbles are not allowed to D>1mm; Non-inductive scratches of no more than 0.1×8mm are allowed.	Slight defect



Professional, Creditable, Successful

Top wound, stab wound FPC Crack		Professional, C	<u> </u>	Specification
Process Slight defect		Crack	Not allowed.	Slight defect
Foreign objects Dirty Cracks Goldfinger crease Top wound, stab wound Scratch Goldfinger Scratch Goldfinger scratch Goldfinger scratch FPC 1. The foreign body on the side is not controlled; 2. The paint pen marks on the side are not controlled; 3. Side oily note printing is not allowed. Heavy deficit Slight Heavy deficit Slight Heavy deficit Slight Slight Heavy deficit Slight Heavy deficit Scratch Goldfinger scratch FPC Scratch Goldfinger scratch Foreign body on the side is not controlled; Slight scratches on the side are not controlled; Heavy deficit Slight Heavy deficit Slight Heavy deficit Heavy deficit W < 0.05mm, no control; W > 0.05mm, no control; Test probe tip marks are not controlled Test probe tip marks are not controlled Test probe tip marks are not controlled		Notch	2. Does not affect the relevant alignment;	Slight defect
FPC Goldfinger crease Crease Crease Slight creases are not controlled; The crease is whitish and has lines, which is not allowed. Top wound, stab wound Scratch Goldfinger scratch Goldfinger scratch Goldfinger scratch FPC Not allowed. Slight creases are not controlled; The crease is whitish and has lines, which is not allowed. Heavy deficit Heavy deficit Heavy deficit W≤0.05mm, not allowed. Heavy deficit Test probe tip marks are not controlled. Heavy deficit Test probe tip marks are not controlled. Heavy deficit Test probe tip marks are not controlled. Heavy deficit Heavy deficit Test probe tip marks are not controlled. Heavy deficit Test probe tip marks are not controlled.		Foreign objects	2. The paint pen marks on the side are not controlled;	Slight defect
The crease is whitish and has lines, which is not allowed. Top wound, Stab wound Damage to the line, D≤0.2mm; Heavy, Stab wound Damage to the line is not allowed. Scratch Slight scratches on the surface are not controlled; Damage to the line is not allowed. Goldfinger Scratch W≤0.05mm, no control; W>0.05mm, not allowed; Test probe tip marks are not controlled. Test probe tip marks are not controlled.		Goldfinger	Not allowed.	Heavy deficit
Top wound, stab wound Damage to the line, D≤0.2mm; Heavy deficit Scratch Scratch Goldfinger scratch Scratch Scratch Goldfinger scratch Controlled; W≤0.05mm, no control; W>0.05mm, not allowed; Test probe tip marks are not controlled. Test probe tip marks are not controlled. Test probe tip marks are not controlled.		Crease		Heavy
FPC stab wound Damage to the line is not allowed. Scratch Slight scratches on the surface are not controlled; Damage to the line is not allowed. Goldfinger scratch W≤0.05mm, no control; W>0.05mm, not allowed; Test probe tip marks are not controlled. Test probe tip marks are not controlled.		Top wound		
Scratch Scratch Slight scratches on the surface are not controlled; Damage to the line is not allowed. Goldfinger scratch W≤0.05mm, no control; W>0.05mm, not allowed; Test probe tip marks are not controlled. Heavy deficit				-
Scratch Damage to the line is not allowed. Goldfinger scratch W≤0.05mm, no control; W>0.05mm, not allowed; Test probe tip marks are not controlled. Heavy deficit	FPC			
Goldfinger scratch W≤0.05mm, no control; W>0.05mm, not allowed; Test probe tip marks are not controlled. Heavy deficit		Scratch		deficit
scratch Test probe tip marks are not controlled deficit		Goldfinger	W≤0.05mm, no control;	Heavy
Component Under-soldering, over-soldering and false soldering are not allowed. Heavy deficit		scratch	\wedge ()	deficit
Component Under-soldering, over-soldering and false soldering are not allowed.			l est probe tip marks are not controlled.	Ноога
delicit		Component	Under-soldering, over-soldering and false soldering are not allowed.	-

10 Precautions for Use of LCD Modules

10.1 Handling Precautions

- 10.1.1 The display panel is made of glass. Do not subject it to a mechanical shock by dropping it from a high place, etc.
- 10.1.2 If the display panel is damaged and the liquid crystal substance inside it leaks out, be sure not to get any in your mouth, if the substance comes into contact with your skin or clothes, promptly wash it off using soap and water.
- 10.1.3 Do not apply excessive force to the display surface or the adjoining areas since this may cause the color tone to vary.
- 10.1.4 The polarizer covering the display surface of the LCD module is soft and easily scratched. Handle this polarizer carefully.
- 10.1.5 If the display surface is contaminated, breathe on the surface and gently wipe it with a soft dry cloth. If still not completely clear, Can only use LCD dedicated cleaner, the following organic solvent can not be used:
 - Isopropyl alcohol
 - Ethyl alcohol
 - Ketone
 - Aromatic solvents
 - 10.1.6 Do not attempt to disassemble the LCD Module.
 - 10.1.7 If the logic circuit power is off, do not apply the input signals.
 - 10.1.8 To prevent destruction of the elements by static electricity, be careful to maintain an
 - 10.1.9 optimum work environment.
 - 10.1.9.1 Be sure to ground the body when handling the LCD Modules.
 - 10.1.9.2 Tools required for assembly, such as soldering irons, must be properly ground.
- 10.1.9.3 To reduce the amount of static electricity generated, do not conduct assembly and other work under dry conditions.
- 10.1.9.4 The LCD Module is coated with a film to protect the display surface. Be care when peeling off this protective film since static electricity may be generated.
- 10.2 Storage precautions
- 10.2.1 When storing the LCD modules, avoid exposure to direct sunlight or to the light of fluorescent lamps.
- 10.2.2 The LCD modules should be stored under the storage temperature range. If the LCD modules will be stored for a long time, the recommend condition is:
- Temperature: 0°C ~ 40°C Relatively humidity: ≤80%.
- 10.2.3 The LCD modules should be stored in the room without acid, alkali and harmful gas. 10.3 Transportation Precautions
- 10.3.1 The LCD modules should be no falling and violent shocking during transportation, and also should avoid excessive press, water, damp and sunshine.

DWIN Technology 20 www.dwin-global.com

11 Laminated Screen Introduction

DWIN adopts original class A glass and the entire production is in the park from cleaning, cutting, bonding, and laminating of large glass to backlight assembly, quality inspection, and aging.

There are 12,000 square meters of clean workshop, with a monthly production capacity of about 2.5 million pieces. Each piece of LCD produced in the factory is for 30 days of aging.

11.1 Laminated screen classification

The laminated screen is mainly composed of cover glass, TP and LCD. The lamination methods can be either frame lamination or full lamination. The frame lamination process fixes TP with the four sides of LCD by 3M adhesive, which is one of the most common lamination methods. Full lamination is to seamlessly bond LCD and TP by optical adhesive. Compared to frame lamination, full lamination features by moisture-proof, dust-proof, high stability, high quality display, and can achieve the visible display under strong light.

11.2 ODM service

DWIN technology has built the Huan DWIN Science Park with a construction area of 250000 square meters (In addition, another 148000 square meters are under construction), integrating industrial chain of LCM, SMT, CTP, RTP, mold injection, and Sheet metal punching. DWIN can guarantee the production of LCM, CTP and RTP with first-class technology, highly automated and intelligent manufacturing equipment.

The production capacity of LCM lines is 2.5 million. The LCM lines support the production of LCM with high luminance(1200 nit), wide operating temperature(-40~85°C), anti-electromagnetic interference, sunlight readability and HDMI interface.

The production capacity of RTP lines is 5 hundred thousand. The RTP lines support the production of customized 4-wire RTP and 5-wire RTP, anti-UV material and AG material.

The production capacity of CTP lines is 1 million. The CTP lines support the production of customized CTP, including 1.3~21.5 inches (unconventional size), circular CTP, the shape, color and logo of cover plate, anti-UV, anti- fingerprint and AG material. They can also support the customization of various kinds of technologies, such as OCA lamination, ultrathin GFF, optical bonding, 2.5D and sunlight readability.

DWIN Technology 21 www.dwin-global.com





CTP lines

SMT lines





RTP lines

LCM lines





Final inspection lines

IQC lines





Laboratories

Record of Revision

Rev	Date	Description	Editor
00	2023-02-07	First Release	Chen
01	2023-06-02	Update Luminance	Chen
			20

Please contact us if you have any questions about the use of this document or our products, or if you would like to know the latest information about our products:

Customer service tel: +86 400 018 9008

Customer service email: dwinhmi@dwin.com.cn

DWIN developer forum: https://forums.dwin-global.com/index.php/forums/

Thank you all for continuous support of DWIN, and your approval is the driving force of our progress!