LN80480T050IA4098-TR

5.0 inch, 800×480, TN screen with normal viewing angle, air bonding RTP


Disclaimer: The product design is subject to alternation and improvement without prior notice.

DWIN Technology 1 www.dwin-global.com



Table of Contents

| 1 General Feature | 3 |
|---------------------------------------|----|
| 2 Mechanical Drawing | 5 |
| 3 Input/Output Terminals | 6 |
| 4 Electrical Characteristics | |
| 5 Timing Characteristics | 9 |
| 6 Optical Characteristics | 12 |
| 7 Environmental Reliability Test | 15 |
| 8 Packing Capacity & Dimension | 16 |
| 9 Appearance Inspection | 17 |
| 10 Precautions for Use of LCD Modules | 20 |
| 11 Laminated Screen Introduction | 21 |




1 General Feature

1.1 LCD Parameters

| | Feature | Description | Unit |
|-------------------------------|---------------------|---|--|
| | Size | 5.0 | inch |
| | Resolution | 800(H)*480(V) | pixels |
| Display Spec. | Pixel Configuration | RGB Vertical stripe | |
| | Pixel Pitch | 0.135(W)*0.135(H) | mm |
| | Viewing Direction | 6 o'clock | - |
| | Outside Dimension | 120.7(W)*75.8(H)*3.0(D) | mm |
| | Active Area | 108.0(W)*64.8(H) | mm |
| Mechanical Characteristics | Luminance | 250 | cd/m² |
| | LED Numbers | 12 LEDS | - |
| | Pin Order | From left to right 40PIN_0.5mm | - |
| | Interface | RGB_24bit | - |
| Electrical | Color Depth | 16.7M | colors |
| Characteristics | Driver Condition | 3.3(Type) | V |
| | Driver IC | ILI6122/ILI6137A-00T004/EK9713CA+ ILI5960/EK73002AB2 | - |
| Temperature | Operating Temp. | -20~70 | ${\mathbb C}$ |
| Range | Storage Temp. | -30~80 | $^{\circ}\!$ |

DWIN Technology 3 www.dwin-global.com




1.2 Touch Parameters


| Feature | Description |
|-----------------------|-----------------------------|
| Туре | RTP (Resistive touch panel) |
| Structure | ITO Film+ ITO Glass+ FPC |
| Outline Size(mm) | 120.20(W)*74.80(H)*1.55(T) |
| View Area(mm) | 112.74(W)*65.74(H) |
| Surface Hardness | 3H |
| Light Transmittance | 78%±3% |
| Operating Temperature | -20~70°C |
| Storage Temperature | -30~80℃ |

Note: Requirements on Environmental Protection: RoHS

DWIN Technology 4 www.dwin-global.com

2 Mechanical Drawing






3 Input/Output Terminals


3.1 LCD Input/Output Terminals

| Remark |
|--------|
| X |
| X |
| × |
| |
| |
| |
| |
| 4//// |
| , |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |



3.2 TP Input/Output Terminals

| Pin NO. | Logic | Remark |
|---------|-------|--------|
| 1 | YU | |
| 2 | XL | |
| 3 | YD | |
| 4 | XR | |



4 Electrical Characteristics


4.1 Driving TFT LCD Panel

| Item | Symbol | Min | Тур. | Max | Unit | Remark |
|-----------------------|--------|-----|------|-----|------|--------|
| Digital Power Voltage | VDD | 3.0 | 3.3 | 3.6 | V | |

4.2 LED Backlight Specification

| Item | Symbol | Min. | Тур. | Max. | Unit | Remark |
|---------------------------|--------|------|-------|-----------------|-------|--------|
| Voltage for LED Backlight | VL | 16.8 | 18.0 | 19.8 | V | |
| Current for LED Backlight | IL | - | 40 | - | mA | |
| Luminance(with LCD) | Lv | 200 | 250 | - | cd/m² | |
| Uniformity(with L/G) | Avg | 75 | 80 | \(\frac{1}{2}\) | % | |
| LED Life-Time | Hr | - | 30000 | <u> </u> | Hour | |

Note: 12 LEDs (6 LEDs Serial, 2 ways Parallel)



DWIN Technology 8 www.dwin-global.com

5 Timing Characteristics

5.1 HV Mode

| | | Value | | | |
|-------------------------|--------|-------|------|------|------|
| Parameter | Symbol | Min. | Тур. | Max. | Unit |
| Horizontal Display Area | thd | | 800 | | DCLK |
| DLCK Frequency | Fclk | 26.4 | 33.3 | 46.1 | MHZ |
| HSD Period | Th | 862 | 1056 | 1200 | DCLK |
| /NNOLUX Pulse Width | thpw | 1 | 36 | 40 | DCLK |
| /NNOLUX Back Porch | thbp | | 48 | | DCLK |
| /NNOLUX Front Porch | tfbp | 16 | 210 | 354 | DCLK |
| Vertical Display Area | tvd | | 480 | | Н |
| VSD Period | tv | 510 | 525 | 650 | Н |
| VSD Pulse Width | Tvpw | 1 | 4 | 20 | Н |
| VSD Back Porch | Tvbp | | 12 | | Н |
| VSD Front Porch | tvfp | 7 | 22 | 147 | Н |


5.2 Mode DC Electrical Characteristics


| D | Chal | 0 | 9 | Specification | n | |
|---------------------------------|------------|--------------------------------|--------|---------------|--------------|------|
| Parameter | Symbol | Conditions | MIN | TYP | MAX | UNIT |
| Logic high level input voltage | VIHLPCD | LP-CD | 450 | | 1350 | mV |
| Logic low level input voltage | VILLPCD | LP-CD | 0 | * | 200 | mV |
| Logic high level input voltage | VIHLPRX | LP-RX (CLK, D0, D1) | 880 | * | 1350 | mV |
| Logic low level input voltage | VILLPRX | LP-RX (CLK, D0, D1) | 0 | * | 550 | mV |
| Logic low level input voltage | VILLPRXULP | LP-RX (CLK ULP mode) | 0 | | 300 | mV |
| Logic high level output voltage | VOHLPTX | LP-TX (D0) | 1.1 | | 1.3 | ٧ |
| Logic low level output voltage | VOLLPTX | LP-TX (D0) | -50 | | 50 | mV |
| Logic high level input current | lin lin | LP-CD, LP-RX |)/i_20 | 2 | 10 | μА |
| Logic low level input current | lı∟ | LP-CD, LP-RX | -10 | 12 12 | 8 <u>25)</u> | μА |
| Input pulse rejection | SGD | DSI-CLK+/-, DSI-Dn+/- (Note 3) | 72 | | 300 | Vps |

Spike/glitch rejection-DSI

DWIN Technology 9 www.dwin-global.com

5.3 Up-down Time Sequence







5.4 AC Characteristics


(VSS=VSSI=DVSS=0V, VDDI=1.65V to 3.6V, VDD=2.5V to 3.6V, Ta = -30 to 70 °C)

| Signal | Symbol | Parameter | MIN | TYP | MAX | Unit | Description |
|------------|----------|----------------------------------|---------|--------------|--------|------|-----------------|
| | | | 4 | | 8 | ns | 4 Lane (Note 2) |
| DSI-CLK+/- | 2xUIINST | Double UI instantaneous | 3 | 850 | 8 | ns | 3 Lane (Note 2) |
| | | | 2.352 | 847 | 8 | ns | 2 Lane (Note 3) |
| | Ulinsta | Ul instantaneous halfs | 2 | 370 | 4 | ns | 4 Lane (Note 2) |
| DSI-CLK+/- | UINSTA | (UI = Ulinsta = Ulinstb) | 1.5 | • | 4 | ns | 3 Lane (Note 2) |
| | OINSIB | (OI = OIINSIA = OIINSIB) | 1.176 | 850 | 4 | ns | 2 Lane (Note 3) |
| DSI-Dn+/- | tos | Data to clock setup time | 0.15xUI | 571 | | ps | |
| DSI-Dn+/- | ton | Data to clock hold time | 0.15xUI | - 150 | | ps | |
| DSI-CLK+/- | tortclk | Differential rise time for clock | 150 | (4) | 0.3xUI | ps | |
| DSI-Dn+/- | TORTDATA | Differential rise time for data | 150 | 371 | 0.3xUI | ps | |
| DSI-CLK+/- | toftclk | Differential fall time for clock | 150 | 8.1 | 0.3xUI | ps | |
| DSI-Dn+/- | toftdata | Differential fall time for data | 150 | | 0.3xUI | ps | |



5.5 Clock Lanes-high Speed Mode to/from Low Power Mode Timing





6 Optical Characteristics


| Item | Symbol | Condition | Min. | Тур. | Max. | Unit | Remark |
|--------------------|--------------------------------|-----------|--------------|----------|-------|----------|--------|
| | Тор | | - | 50 | - | | |
| No. in Andr | Bottom | OD > 10 | - | 70 | - | D | Notes |
| Viewing Angle | Left | CR≧10 | - | 70 | - | Deg. | Note 2 |
| | Right | | - | 70 | - | | |
| Contrast Ratio | CR | θ=0° | 400 | 500 | - | 0 | , |
| Response Time | T _r +T _f | θ=0° | - | 35 | 50 | ms | Note 4 |
| | Wx | | 0.260 | 0.290 | 0.320 | | |
| | Wy | | 0.290 | 0.320 | 0.350 | | |
| | Rx | | -\ | (). | - | | |
| Color Chromaticity | Ry | 0.0% | 0 | <u>-</u> | - | | Note 5 |
| (CIE1931) | Gx | θ=0° | } | - | - | | Note 5 |
| | Gy | 63 | - | - | - | | |
| | Вх | 20. | - | - | - | | |
| | Ву | | - | - | - | | |
| Color Gamut | NTSC | | - | 55 | - | % | |

Test conditions:


IF= 40 mA, and the ambient temperature is $25\,^{\circ}$ C.

Note 1: Definition of optical measurement system.

The optical characteristics should be measured in dark room. After 5 minutes operation, the optical properties are measured at the center point of LCD.



Note 2: Definition of viewing angle range and measurement system. The viewing angle is measured at the center point of the LCD by BM-7A.




Note 3: Definition of color temperature.

When the radiation of the light source is exactly the same in the visible region and the absolute blackbody, the temperature of the blackbody is called the color temperature of the light source. Color temperature is an index to measure the degree of light source color (cold color, warm color). Warm color < 3300K, intermediate color $3300 \sim 5000$ K, cold color > 5000K.

DWIN Technology 13 www.dwin-global.com


Note 4: Definition of response time.

The response time is defined as the LCD optical switching time interval between "White" state and "Black" state. Time ON (TON) is the time between photo detector output intensity changed from 90% to 10%. And time off (TOFF) is the time between photo detector output intensity changed from 10% to 90%.



Note 5: Definition of color chromaticity (CIE1931). Color coordinates measured at center point of LCD.

Note 6: Definition of luminance. Measure the luminance of white state at center point.



7 Environmental Reliability Test

| NO | Test Item | Condition | Remarks |
|----|--------------------------------|--|---------------------|
| 1 | Lligh Tomporature Operation | To-170°C OChours | IEC60068-2-1:2007 |
| ' | High Temperature Operation | Ta=+70℃,96hours | GB2423.2-2008 |
| 2 | Low Temperature Operation | Ta=-20℃,96hours | IEC60068-2-1:2007 |
| | Low Temperature Operation | la20 C, 90110uis | GB2423.1-2008 |
| 3 | Ligh Tomporature Storage | Ta=+80℃,96hours | IEC60068-2-1:2007 |
| 3 | High Temperature Storage | la-+ou C, gollouis | GB2423.2-2008 |
| 4 | Law Tamananativa Chanana | T 20% OCh | IEC60068-2-1:2007 |
| 4 | Low Temperature Storage | Ta=-30℃,96hours | GB2423.1-2008 |
| 5 | Storage at High Temperature | T+00°C 000/ DIL 00h | IEC60068-2-78 :2001 |
| 5 | and Humidity | Ta=+60℃,90% RH max,96hours | GB/T2423.3-2006 |
| | | | Start with cold |
| | | | temperature, |
| 6 | Thermal Charle (non energtion) | -20°C 30 min~+60°C 30 min, | End with high |
| 0 | Thermal Shock (non-operation) | after 10cycle, Restore 2H at 25℃ Power off | temperature, |
| | | • 0 | IEC60068-2-14:1984, |
| | | | GB 2423.22-2002 |
| 7 | ESD(non operation) | 150pF,330 Ω ,Contact:±4KV,Air:±8KV | IEC61000-4-2:2001 |
| ' | ESD(non-operation) | Measure point: LCD glass and metal bezel | GB/T 17626.2-2006 |
| 8 | Vibration Test | 10Hz~45Hz, 100m/s2, 120min | IEC60068-2-6:1982 |
| 0 | Vibration Test | 10H2~45H2, 100M/\$2, 120MM | GB/T 2423.10-1995 |
| 9 | Machanical Shook (Non OD) | Half aingways 200m/s2 11ms | IEC60068-2-27:1987 |
| 9 | Mechanical Shock (Non OP) | Half-sinewave,300m/s2,11ms | GB/T 2423.5-1995 |
| 10 | Dookses Drop Tost | 800mm, concrete floor,1corner, 3edges, 6 | IEC60068-2-32:1990 |
| 10 | Package Drop Test | sides each time | GB/T 2423.8-1995 |

DWIN Technology 15 www.dwin-global.com

8 Packing Capacity & Dimension

| Dimension | | | | | | |
|----------------------------|-------------------------|-------|----------------|--|--|--|
| Dimension(mm) | 120.7(W)*75.8(H)*4.8(D) | | | | | |
| Net Weight | - | | | | | |
| Packing Capacity | | | | | | |
| Size | LCD Size and Resolution | Layer | Quantity (Pcs) | | | |
| 220mm(L)x160mm(W)x47mm(H) | 5.0 inch 800*480 | 1 | 1 | | | |
| 450mm(L)x350mm(W)x300mm(H) | 5.0 inch 800*480 | 2 | 120 | | | |

Packing instruction:

The LCD+TP is placed in the grid, covered with a PE static bag and compactly assembled, the upper and the lower layers of the grid are protected by buffer spaces.

The LCD covered with a PE static bag and compactly assembled





placed in the grid





The upper and the lower layers of the grid are protected by buffer spaces





Packed



9 Appearance Inspection

9.1 General rules for inspection

- 9.1.1 Anti-static wearables (anti-static wristbands, gloves) must be worn during the inspection.
- 9.1.2 Do not use bare hands to touch the position of the device, golden fingers, and the surface of the screen to prevent the sweat from human hands from causing oxidation and affecting the appearance.
- 9.1.3 It is forbidden to stack products out of specification and handle them with care to avoid damage to components.
- 9.1.4 The repaired products need to be inspected to prevent rosin and tin slag from exceeding the specifications.
- 9.1.5 When technical documents and process documents have specific requirements for products, the technical documents and process documents shall be the main requirements.

9.2 Inspection conditions

9.2.1 The conditions of display function check

Angle: ±5°;

Inspection method: visual inspection. The inspection object is 30-40cm away from the light source, and the eye is 30-40cm away from the inspection object;


Illumination: 300-500Lux; Inspection time: 5-10S.

9.2.2 Visual inspection conditions

Angle: ±45°;

Inspection method: visual inspection. The inspection object is 30-40cm away from the light source, and the eye is 30-40cm away from the inspection object;

Illumination: 800-1500Lux; Inspection time: 5-10S.



9.3 Inspection standard

| Туре | Test Items | Judgement Standard | Defect Category |
|-------------------|--|---|--------------------|
| Display | Dead pixels | No dead pixels | |
| | mura | From different angles, the brightness is required to be uniform. Under the 64-level grayscale or pure black interface, there should be no uneven display brightness within the viewing angle range of 45° through 6% ND FILTER. Y series (TV film) LCD screen does not have specific requirements, and the picture inspection does not affect the display as qualified. Black and white mottled | Slight defect |
| | Light leakage | Under the 64-level grayscale or pure black interface, there should be no obvious light leakage within the viewing angle range of 45° by visual inspection or through 6% ND FILTER. Y series (TV LCD screen) series can be without obvious visual defects. | Slight defect |
| | Linear foreign bodies | 1. W≤0.05, L≤2mm, negligible; 2. 0.05mm<w≤0.1mm, li="" l≤2mm,="" n≤3;<=""> 3. W>0.1mm, L>2mm, not allowed. </w≤0.1mm,> | Slight defect |
| | Bubble in OCA | 1. D<0.20mm, negligible; 2. 0.20mm <d≤0.30mm, and,="" ds="" n≤4="">10mm; 3. 0.30mm<d≤0.35mm, and,="" ds="" n≤3="">10mm; 4. 0.35mm<d, (guarantee="" 0.2mm="" area:="" fault.="" outside="" td="" va)<="" within=""><td>Slight defect</td></d,></d≤0.35mm,></d≤0.30mm,> | Slight defect |
| Screen surface | Within the effective area | Spotted: 1. D≤0.2mm and it is not a piece, it is not counted; 2. 0.2mm <d≤0.5mm, 3.="" d="" n≤3;="">0.5mm, L>0.5mm, W>0.5mm are not allowed; (The spotted foreign objects shall not exceed the point-line gauge D=0.5, and the black dot coverage shall be checked, and the spotted foreign objects shall be judged within the range of D=0.5) Linear: 1. W≤0.05, L≤2mm, ignored; 2. 0.05<w≤0.1mm, 3.="" l≤2mm,="" n≤3;="" w="">0.1mm, L>2mm, not allowed.</w≤0.1mm,></d≤0.5mm,> | Slight defect |
| | Outside the effective area Foreign objects Scratches Air bubbles | Foreign objects are not checked, and bubbles are not allowed to D>1mm; Non-inductive scratches of no more than 0.1×8mm are allowed. | Slight defect |

| , | i Tolessional, C | rioduci S | pecilication |
|-------|---|---|------------------|
| | Crack | Not allowed. | Slight defect |
| | Notch | Does not affect the appearance from the front; Does not affect the relevant alignment; X≤1mm, Y≤1mm, N≤2. | Slight defect |
| | Glass side Foreign objects Dirty | The foreign body on the side is not controlled; The paint pen marks on the side are not controlled; Side oily note printing is not allowed. | Slight defect |
| | Cracks Goldfinger crease | Not allowed. | Heavy deficit |
| | Crease | Slight creases are not controlled; The crease is whitish and has lines, which is not allowed. | Heavy deficit |
| | Top wound, | No damage to the line, D≤0.2mm; | |
| FPC | stab wound | Damage to the line is not allowed. | |
| FPC - | Scratch | Slight scratches on the surface are not controlled; | Heavy |
| | | Damage to the line is not allowed. | deficit |
| | Goldfinger scratch | W≤0.05mm, no control; | Heavy |
| | | W>0.05mm, not allowed; | deficit |
| | 00101011 | Test probe tip marks are not controlled. | |
| | Component | Under-soldering, over-soldering and false soldering are not allowed. | Heavy |
| | | 3, 2.2.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3 | deficit |

10 Precautions for Use of LCD Modules

10.1 Handling Precautions

- 10.1.1 The display panel is made of glass. Do not subject it to a mechanical shock by dropping it from a high place, etc.
- 10.1.2 If the display panel is damaged and the liquid crystal substance inside it leaks out, be sure not to get any in your mouth, if the substance comes into contact with your skin or clothes, promptly wash it off using soap and water.
- 10.1.3 Do not apply excessive force to the display surface or the adjoining areas since this may cause the color tone to vary.
- 10.1.4 The polarizer covering the display surface of the LCD module is soft and easily scratched. Handle this polarizer carefully.
- 10.1.5 If the display surface is contaminated, breathe on the surface and gently wipe it with a soft dry cloth. If still not completely clear, Can only use LCD dedicated cleaner, the following organic solvent can not be used:
 - Isopropyl alcohol
 - Ethyl alcohol
 - Ketone
 - Aromatic solvents
 - 10.1.6 Do not attempt to disassemble the LCD Module.
 - 10.1.7 If the logic circuit power is off, do not apply the input signals.
 - 10.1.8 To prevent destruction of the elements by static electricity, be careful to maintain an
 - 10.1.9 optimum work environment.
 - 10.1.9.1 Be sure to ground the body when handling the LCD Modules.
 - 10.1.9.2 Tools required for assembly, such as soldering irons, must be properly ground.
- 10.1.9.3 To reduce the amount of static electricity generated, do not conduct assembly and other work under dry conditions.
- 10.1.9.4 The LCD Module is coated with a film to protect the display surface. Be care when peeling off this protective film since static electricity may be generated.
- 10.2 Storage precautions
- 10.2.1 When storing the LCD modules, avoid exposure to direct sunlight or to the light of fluorescent lamps.
- 10.2.2 The LCD modules should be stored under the storage temperature range. If the LCD modules will be stored for a long time, the recommend condition is:
- Temperature: 0°C ~ 40°C Relatively humidity: ≤80%.
- 10.2.3 The LCD modules should be stored in the room without acid, alkali and harmful gas. 10.3 Transportation Precautions
- 10.3.1 The LCD modules should be no falling and violent shocking during transportation, and also should avoid excessive press, water, damp and sunshine.

DWIN Technology 20 www.dwin-global.com

11 Laminated Screen Introduction

11.1 Laminated screen classification

The laminated screen is mainly composed of cover glass, TP and LCD. The lamination methods can be either frame lamination or full lamination. The frame lamination process fixes TP with the four sides of LCD by 3M adhesive, which is one of the most common lamination methods. Full lamination is to seamlessly bond LCD and TP by optical adhesive. Compared to frame lamination, full lamination features by moisture-proof, dust-proof, high stability, high quality display, and can achieve the visible display under strong light.

11.2 ODM service

DWIN technology has built the Huan DWIN Science Park with a construction area of 250000 square meters (In addition, another 148000 square meters are under construction), integrating industrial chain of LCM, SMT, CTP, RTP, mold injection, and Sheet metal punching. DWIN can guarantee the production of LCM, CTP and RTP with first-class technology, highly automated and intelligent manufacturing equipment.

The production capacity of LCM lines is 2.5 million. The LCM lines support the production of LCM with high luminance(1200 nit), wide operating temperature(-40~85°C), anti-electromagnetic interference, sunlight readability and HDMI interface.

The production capacity of RTP lines is 5 hundred thousand. The RTP lines support the production of customized 4-wire RTP and 5-wire RTP, anti-UV material and AG material.

The production capacity of CTP lines is 1 million. The CTP lines support the production of customized CTP, including 1.3~21.5 inches (unconventional size), circular CTP, the shape, color and logo of cover plate, anti-UV, anti- fingerprint and AG material. They can also support the customization of various kinds of technologies, such as OCA lamination, ultrathin GFF, optical bonding, 2.5D and sunlight readability.

DWIN Technology 21 www.dwin-global.com





SMT lines





RTP lines

LCM lines





Final inspection lines

IQC lines





Laboratories

Record of Revision

| Rev | Date | Description | Editor |
|-----|------------|------------------|--------|
| 00 | 2023-04-19 | First Release | Chen |
| 01 | 2023-06-02 | Update Luminance | Chen |
| | | | 20 |

Please contact us if you have any questions about the use of this document or our products, or if you would like to know the latest information about our products:

Customer service tel: +86 400 018 9008

Customer service email: dwinhmi@dwin.com.cn

DWIN developer forum: https://forums.dwin-global.com/index.php/forums/

Thank you all for continuous support of DWIN, and your approval is the driving force of our progress!